Ken-Tool®

Reshaping the way tires are changed™

NEW Professional Vises

The high quality of the design, materials, and manufacturing combine to make these vises among the best you'll find - anywhere in the world.

2 *Styles for the professional:*

Pro Workshop & Pro Mechanic's Reversible Vises

Our new Professional Workshop Vise is tough enough to handle most workshop jobs



Made in China

Features include:

- 360° positive locking swivel base with double locking gear
- Heavy-duty jaw beam covers screw
- Built-in anvil



- Replaceable/reversible jaw faces made of carbon steel and heat-treated for extra strength, diamond cut on one side - smooth on the other

- Jaw faces have "V" notches for vertical gripping



- Built-in pipe jaws

With high quality construction for extra durability and full-strength performance at any jaw opening, these vises are made for the professional - strong, durable, and built to last.

K55 (64055) 5-1/2" PROFESSIONAL WORKSHOP VISE

- Jaw width: 5-1/2"
- Jaw opening: 6-1/2"
- Throat depth: 3-3/16"
- Pipe capacity: 1/8" - 2"
- Weight: 30 lbs.

K65 (64065) 6-1/2" PROFESSIONAL WORKSHOP VISE

- Jaw width: 6-1/2"
- Jaw opening: 7-1/2"
- Throat depth: 3-3/4"
- Pipe capacity: 1/8" - 2-1/2"
- Weight: 41 lbs.

Our new Professional Reversible Mechanic's Vise is rugged enough for any workshop or professional mechanic's toughest job



- 2 Built-in anvils provide more work surface area than any other vise

Made in China

Features include:

- 360° positive locking swivel base with double locking gear
- Built-in pipe jaws
- Heavy-duty jaw beam covers screw
- "V" notched, replaceable/reversible jaws made of carbon steel and heat-treated for extra strength, diamond cut on one side - smooth on the other
- Lifetime warranty on main body castings
- Front jaw can be inserted into front or back of base - adding up to one third more gripping capacity

It's Simple...



Remove the jaw from the front of the base, swivel the base 180°, then re-insert the jaw

With our Reversible Vises you get all of the high quality features and rugged durability of the Pro Workshop Vises, and more! Significantly increase your gripping capacity when you reverse the position of the front jaw.

KT4650 (64650) 6-1/2" PROFESSIONAL REVERSIBLE MECHANIC'S VISE

- Jaw width: 6-1/2"
- Jaw openings: Standard position: 7" Reverse position: 10"
- Throat depth: 3-3/16"
- Pipe capacity: 1/8" - 2-1/2"
- Weight: 50 lbs.

KT4800 (64800) 8" PROFESSIONAL REVERSIBLE MECHANIC'S VISE

- Jaw width: 8"
- Jaw openings: Standard position: 8" Reverse position: 11"
- Throat depth: 3-3/4"
- Pipe capacity: 1/8" - 3"
- Weight: 74 lbs.

Ken-Tool®
Reshaping the way tires are changed™

New C-Clamps

Carriage C-Clamps



The original carriage clamp is designed for the home craftsman, wood-worker, and light shop service. Clamps have rugged cast frames, plated screws, swivels, sliding crosspin handles, and a durable baked-on enamel paint finish.

Model	EDP No.	Jaw Opening	Depth	Screw Diameter	Std. Pack	Weight
44K	42494	4" 10 cm	2-3/4" 7 cm	9/16" 1.4 cm	6	1.5 lbs .7 kg
46K	42496	6" 15 cm	3-1/4" 8 cm	5/8" 1.5 cm	6	2.8 lbs 1.3 kg
48K	42498	8" 20 cm	4" 10 cm	3/4" 2 cm	6	4 lbs 1.8 kg

Ductile Iron C-Clamps

This c-clamp is for the professional. Made from ductile iron for strength and toughness, with sliding pin handle and acme-thread screw.

Model	EDP No.	Jaw Opening	Depth	Screw Diameter	Std. Pack	Weight
KT-4	39604	4" 10 cm	2-1/16" 5 cm	5/8" 1.5 cm	6	1.8 lbs .8 kg
KT-6	39606	6" 15 cm	2-3/4" 7 cm	5/8" 1.5 cm	6	2.5 lbs 1.1 kg
KT-8	39608	8" 20 cm	3-1/4" 8 cm	3/4" 2 cm	1	3.5 lbs 1.6 kg

Made in China

Warranty

All Ken-Tool vises and clamps retain normal Ken-Tool warranty against defects in materials and workmanship. However, replacement parts are available. Entire product, kit, or assortment will not be warranted if only one item requires warranty. Please check our website for a complete listing of all our replacement parts, or contact customer service.

E-mail us at sales@kentool.com for a FREE CD video of all our new products
www.kentool.com

Visit our website at www.kentool.com E-mail: sales@kentool.com
768 E. North Street • P.O. Box 9320 • Akron, OH 44305 Phone: 330-535-7177 Fax: 330-535-1345

Form No. V1001 © 2001 Ken-Tool

Ken-Tool®
Reshaping the way tires are changed™